A Summary of Fish Stocking in the Parry Sound Area 1913-2000

File Report

Stephen Scholten

and

Nicolas Brancatella

Ontario Ministry of Natural Resources and Forestry

Parry Sound District

2020

There has been a long and illustrious history of fish stocking in Ontario. Kerr (2006) provided a comprehensive provincial-scale history of fish culture, stocking and fish transfers in the province from their inception in 1865 until 2004. At the local level, the first recorded stocking occurred in the Parry Sound area in 1913 and it has occurred essentially continuously ever since.

Prior to 2001, local stocking records were maintained in a file card index located in the Parry Sound office. Since 2001, stocking events have been recorded in a provincial electronic database, the Fish Stocking Information System (FSIS). The discontinuation of the use of the file card system, coincident with the turn of the new century presented an opportunity to compile a retrospective of stocking that had occurred up until that time.

The administrative boundaries of the Ministry of Natural Resources and Forestry have changed several times over the years. MNRFs Parry Sound District currently encompasses most of the Territorial Districts of Parry Sound and Muskoka and the west part of Nipissing. Until recently, the District was divided into two functionally separate areas, namely Parry Sound Area and Bracebridge Area. File cards with stocking records were being maintained by these Area boundaries when the electronic database was created in 2001. Stocking in the Parry Sound Area, with the exception of Georgian Bay, is the subject of this report (Figure 1).




Figure 1 Map showing geographic boundary of MNRF's Parry Sound area, 2000. Stocking in Georgian Bay is not included in the report.

Lakes

The year 1913 was one of great change in the context of fishing as the federal fisheries department declared that management of sport fish populations would be the responsibility of the provincial government. Coincidentally, it was also the first year that stocking was recorded in Parry Sound area with the introduction of 5,000 Smallmouth Bass into Horseshoe Lake. In the following year, 1914, bass were also stocked into “Fish Lake”. The location of the lake was not recorded, so exactly which lake it was remains a mystery.

After the first introductions in 1913 and 1914 it was not until 1921 that fish stocking efforts continued with the introduction of 50,000 Walleye into Ahmic Lake. From that point forward the number of waterbodies, number of fish and number of fish species increased steadily. Lake Trout and Rainbow Trout were stocked for the first time in 1922 into Trout Lake (McDougall Twp.) and Cecebe Lake was stocked with Walleye. In 1923, Brook Trout were stocked for the first time, again, into Trout Lake.

Overall, the number of different waterbodies being stocked increased quickly from the late 1930s to a peak around 1950, when as many as 100 lakes were being stocked each year (Figure 2). The number of lakes being stocked declined rapidly from 1950 to 1970 and has stayed relatively constant since then at between 10 and 20 lakes per year. The number of fish stocked followed a similar pattern but was slightly out of phase with the number of lakes stocked. Early in the time series stocking tended to be of larger numbers of early life stages (eggs and fry) which shifted over time to fewer fish of larger sizes (fingerlings and yearlings).

The mix of species being stocked shifted over time as well. Smallmouth Bass and Walleye were the dominant species stocked until the 1940’s at which time trout stocking started to comprise a larger proportion of the number of lakes stocked (Figure 3). By the 1970s, relatively few lakes were being stocked with Smallmouth Bass and Walleye. Largemouth Bass became a significant part of the mix for the 1980s and 1990s and, finally, Splake entered the program in 1980s. Lake Whitefish, Northern Pike and Muskellunge were stocked in small numbers of lakes for brief periods as well (see individual species accounts, below).

The species, number of lakes and number of fish that were stocked changed because of changes to the stocking purpose, improved understanding of the effectiveness and impacts of different forms of stocking and improved aquaculture techniques. For many species there tended to be an evolution from stocking to introduce new populations, to supplementing existing populations to stocking on a put-grow-take basis in lakes not capable of supporting natural reproduction. Through what was largely a process of trial and error, an initial large pool of potential lakes was narrowed down to the small number currently being stocked where acceptable results were being achieved. Concurrently, managers gained experience in the effectiveness and the impacts of stocking. It is now widely accepted that supplemental stocking of self-sustaining populations generally does not provide great benefits and may negatively impact the native stock. Therefore, supplemental stocking is no longer widely practiced. Experience has also shown that stocking early life stages tends to be most successful for new introductions and in waters with simple fish communities. Also, aquaculture techniques have improved to allow more successful and efficient rearing of fish to larger sizes to improve their performance once stocked. All of these factors in combination have resulted in the overall changes to the stocking program over time.




Figure 2 Number of lakes and number of fish stocked, by year, Parry Sound area, 1913-2000.




Figure 3 Number of different lakes stocked, by species and decade, Parry Sound area, 1913-2000. Lake Whitefish (1 lake), Northern Pike (1 lake) and Muskellunge (7 lakes) not shown.

Brook Trout

Brook Trout were first stocked in the area in 1923 but regular stocking did not begin until the late 1930s. At the peak in the 1950s about 10 lakes and 15,000 fish were being stocked annually (Figure 4) and the

numbers of lakes and fish has declined since then. Currently no Brook Trout are being stocked by MNRF in the Parry Sound area. In the early years, like many species, most Brook Trout were stocked as fry or fingerlings but by the 1950s most were stocked as yearlings (Table 1 Total number of Brook Trout stocked, by decade and life stage, Parry Sound area, 1913-2000.Table 1). In general, the survival of stocked fish improves with the size and age at which they are stocked, with very early life stages having poor survival, especially when competing species are present. However, the benefits of increased size are offset at some point by increased cost of production and transportation of larger fish. Stocking of trout that are older than yearlings can not usually be justified other than to meet specific objectives such as put-and-take urban fisheries.

Brook Trout are extremely sensitive to depredation by, and competition with, other fish species, especially spiny-rayed species such as perch and bass. The area naturally had few lakes that were suitable for this species and the expanding range of competing species has reduced the number of lakes even further. Today, anglers seeking opportunities to fish for Brook Trout must travel east to the Algonquin Highlands where some lakes free of competition still exist.




Figure 4 Number of lakes and number of fish stocked, by year, Brook Trout, Parry Sound area, 1913-2000.

Table 1 Total number of Brook Trout stocked, by decade and life stage, Parry Sound area, 1913-2000.

Year	Fry	Fnlg	Yearling	Sub-adult	Adult	Total
1921-1930		2,000				2,000
1931-1940		10,000	15,258			25,258
1941-1950			56,300			56,300
1951-1960			113,700			113,700
1961-1970	2,000	3,000	84,850	2,000		91,850
1971-1980		2,000	57,100			61,900
1981-1990			39,095			39,095
1991-2000			26,050			26,050
Total	2,000	17,000	392,353	2,000	0	416,153

Lake Trout

Trout Lake, in McDougall Township, was the first lake in the area to be stocked with Lake Trout. It was stocked for the first time in 1922. Several other lakes, Ahmic, Three Legged, Rankin and Lorimer were stocked in the 1920s and 1930s. Most of the early events were of fry and then fingerling-aged fish. More widespread stocking of Lake Trout began in the 1940s and continued at a steady rate until the late 1960s with an average of about 14 lakes being stocked per year, mostly with fingerlings (Figure 5). Yearlings gradually began to replace fingerings as the preferred age to stock during this period (Table 2). In the mid-1960s the number of lakes being stocked was reduced as lakes with poor habitat and presumably poor returns of stocked fish were removed from the stocking rotation. A further reduction occurred in the early 1990s. At that time, the provincial Lake Trout Synthesis exercise released its findings, including recommendations that supplemental stocking be discontinued. Supplemental stocking is the stocking of fish where an existing self-sustaining population is present. At that time there was increasing recognition that supplemental stocking can have negative impacts on native populations through several mechanisms, including increasing fishing effort, competition between stocked and native fish and changes to genetic composition of native stocks. A total of 42 different lakes have been stocked with lake Trout in the area, but as of 2000, only 9 were still being stocked on a put-grow-take basis.




Figure 5 Number of lakes and number of fish stocked, by year, Lake Trout, Parry Sound area, 1913-2000.

Table 2 Number fish stocked, by life stage and decade, Lake Trout, Parry Sound area, 1913-2000.

Year	Fry	Fnlg	Yearling	Sub-adult	Adult	Unknown	Total
1921-1930	215,000	30,000					245,000
1931-1940		85,000				20,000	155,000
1941-1950	44,500	157,500	1,000				203,000
1951-1960	3,000	92,000	73,150			97,300	265,450
1961-1970	14,000	44,000	200,530	2,500			261,030
1971-1980			313,127	21,650	10,400		345,177
1981-1990			99,692				99,692

1991-2000			80,400				80,400
Total	276,500	408,500	767,899	24,150	10,400	117,300	1,604,749

Rainbow Trout

Rainbow Trout are not native to Ontario. In some locations, populations have become naturalized and are now supported by natural reproduction. Most notable, many Great Lakes tributaries support spawning runs of and nursery habitat for Rainbow Trout, which live as adults in the lakes. Unfortunately, the Georgian Bay coast in Parry Sound area does not have coldwater streams that have the habitat to support Rainbow Trout. The low relief and thin soils do not provide the groundwater inputs required to keep the water cold. All stocking of Rainbow Trout in inland waters has been done on a put-grow-take basis to create and diversify angling opportunities in the area.

Other than a single event in Trout Lake in 1922, stocking of Rainbow Trout didn't begin in earnest until the 1950s. It reached a peak in the number of lakes and fish in the early 1960's and has generally declined in fits and starts ever since (Figure 6).

A total of 56 different lakes have been stocked over time but none for an extended period. Managers and anglers alike have been seduced by the appeal of creating Rainbow Trout fisheries but the nature of the habitat and fish communities in the area and the apparent low catchability of them have resulted in a lot of 'trial-and-error' stocking, where a lake will be stocked for a number of years then abandoned and another lake tried. Currently there are no Rainbow Trout being stocked by MNRF in the area, but it is probably a safe bet that they will be tried again somewhere at some point in the future.




Figure 6 Number of lakes and number of fish stocked, by year, Rainbow Trout, Parry Sound area, 1913-2000.

Splake

Splake were a latecomer to the Parry Sound Stocking program. They are a hybrid of Lake Trout and Brook Trout that seldom occur naturally and rarely reproduce successfully. They are stocked on a put-grow-take basis only, often in lakes that are not suitable for Lake Trout or Brook Trout due to habitat and/or fish community constraints.

Splake were first stocked in the area in 1983. Since that time, between one and three lakes have been stocked annually with several thousand yearlings (Figure 7). A total of 13 different lakes were stocked. Like Rainbow Trout, there are limited opportunities for quality Splake fisheries in the area due to the combination of habitat and fish communities dominated by spiny-rayed competitors such as bass, pike and Walleye. In recent years, large fall-yearling Splake have become more readily available, improving the possibility of overcoming the fish community limitations and possibly creating better or more Splake fisheries in the area.




Figure 7 Number of lakes and number of fish stocked, by year, Splake, Parry Sound area, 1913-2000.

Lake Whitefish

There is only one record of Lake Whitefish being stocked in the area. Six Mile Lake was stocked with 500,000 fish in 1953. The age was not recorded but was presumably eggs or fry, as those were the life stages that were commonly stocked elsewhere at the time.

We now know that for most species, stocking of very early life stages, especially where a native population is present, generally does not benefit a population. That is because other factors such as weather and habitat which influence the early survival fish have a greater impact on the ultimate number of fish in a population than the number of eggs or fry that are produced.

Northern Pike

There was only one recorded stocking of Northern Pike in the area. Shawanaga Lake was stocked with adults in 1979, to introduce a new population. Despite the lack of other records there has been a major expansion in the distribution of pike in the area. Many populations have become established, usually without knowledge of their origin. In most cases it is assumed that they were stocked illegally by private individuals.

Muskellunge

There was a limited history of stocking Muskellunge in the area. They were stocked from 1950 to 1973 (Figure 8). Only seven different lakes were stocked. Fish were stocked as fry or fingerlings. Similar to other species, experience has shown that stocking of early life stages seldom reaped benefits. Combined with the difficulty of culturing Muskellunge to larger sizes due to their cannibalistic tendencies, most Muskellunge stocking has been abandoned province-wide.




Figure 8 Number of lakes and number of fish stocked, by year, Muskellunge, Parry Sound area, 1913-2000.

Smallmouth Bass

Smallmouth Bass was the first species to be stocked in the area, with 5,000 fingerlings stocked in Horseshoe Lake in 1913. Regular stocking began in the 1930s and a major surge began in 1939 with 25 lakes and over half a million fish (the most fish in any individual year) being stocked (Figure 9). The number of lakes peaked in the mid 1950s, after which stocking of Smallmouth Bass declined rapidly with the last recorded event occurring in 1976. A total of 168 different lakes were stocked in this period with almost 3 million fish.

Due to the early and widespread nature of bass stocking, in many cases it is not known if it was being done to introduce new populations or supplement existing ones as many lakes had not been surveyed prior to stocking occurring. Most stocking was of fry or fingerlings although there are some records of adults being stocked.

Like the other warmwater fish species, the decline in bass stocking was largely due to the realization that stocking was not contributing to existing populations. Also, by the end, Smallmouth Bass were almost ubiquitous in the area and there were few opportunities left for new introductions.

Stocking unquestionably created bass fisheries in lakes that didn't originally support sport fish species, but bass have also greatly impacted other species. The effect was not that great in Parry Sound area due to the limited distribution of native trout, but in the Algonquin Highlands bass have devastated populations of native Brook Trout and to a lesser extent Lake Trout.




Figure 9 Number of lakes and number of fish stocked, by year, Smallmouth Bass, Parry Sound area, 1913-2000.

Largemouth Bass

The history of Largemouth Bass stocking in the area was much more limited than that of Smallmouth Bass. Six Mile Lake was the first to be stocked, with 500 fingerlings in 1938. Like Smallmouth Bass, regular stocking began in the 1950's, but at a much smaller scale, with a maximum of five lakes being stocked per year, primarily with fry and fingerlings and stocking activity declining by the end of the decade (Figure 10). During this period only 13 different lakes were stocked. Unlike Smallmouth Bass, it is likely that a greater proportion of stocking was for new introductions, as Largemouth had a more limited native distribution in inland waters.

A second era of Largemouth Bass stocking began in the 1970s and continued until the late 1980s. In this period, most stocking consisted of transfers of adult fish from one lake to another in order to establish new populations. During this period 35 different lakes were stocked.

The distribution of Largemouth Bass has continued to expand greatly across the area due to illegal stocking. Introductions into small lakes that were naturally devoid of sport fish species have expanded fishing opportunities in the area but like Smallmouth, Largemouth can have serious impacts on population of other fish species, including trout and Walleye.




Figure 10 Number of lakes and number of fish stocked, by year, Largemouth Bass, Parry Sound area, 1913-2000.

Walleye

The first recorded stocking of Walleye in the area was the deposit of 50,000 fry into Ahmic Lake in 1921. Cecebe Lake was done in 1922 followed by Compass Lake in 1924 and Wahwashkesh Lake in 1927. A small number of lakes, typically 3 or 4 per year, were stocked through the 1930s (Figure 11). Stocking activity increased greatly in the late 1930s with up to 30 lakes and over 8 million fish being stocked in 1939. Annual stocking continued near that level almost continuously until 1956, after which it dropped dramatically. Only sporadic stocking occurred for the next 30 years, until 1985, when regular stocking began to be done by partners supported by the new Community Fisheries Involvement Program (CFIP). MNRF and CFIP stocking has continued on past the end of the century, with typically 2 or 3, but up to 12 lakes being stocked annually.

From the 1920s to 1950s the Walleye that were stocked were almost exclusively eggs or fry (Table 3). More than any other species, with the exception of Muskellunge, the stocking of Walleye was dominated by these early life stages. Walleye are very fecund, making it feasible to collect large numbers of eggs but they are difficult to culture to the advanced sizes required to improve survival. As a result, most of the historic stocking of eggs and fry was expedient, but not very successful.

From 1985 onward, fingerlings comprised a larger portion of the fish stocked. Some of these originated from MNRF fish culture stations and were typically stocked for rehabilitation purposes and some came from pond culture facilities operated by partners and were typically stocked on a supplemental basis. Post 2000, the knowledge and experience concerning stocking of early life stages and supplemental stocking that had been learned in the middle of the century, but apparently not passed on, had been relearned and the pulse of stocking that started in the 1980s had been largely discontinued. Currently, MNRF is starting to try more put-grow-take stocking of Walleye, with larger life stages, mirroring the evolution in stocking practices that occurred for many other species years ago. It remains to be seen if this approach will be any more successful.




Figure 11 Number of lakes and number of fish stocked, by year, Walleye, Parry Sound area, 1913-2000.

Table 3 Number of Walleye stocked, by year and life stage, Parry Sound area, 1913-2000.

Year	Eggs	Fry	Fingerling	Yearling	Sub-adult	Adult	Unknown
1901-1910	0	0	0	0	0	0	0
1911-1920	0	0	0	0	0	0	0
1921-1930	0	1,850,000	0	0	0	0	400,000
1931-1940	0	24,722,000	0	0	0	250	0
1941-1950	11,575,000	27,440,000	0	0	0	105	700,000
1951-1960	23,325,000	100,000	6,120	150,000	0	180	4,220,000
1961-1970	0	0	0	0	0	109	0
1971-1980	4,000,000	0	0	0	0	209	0
1981-1990	0	1,395,000	140,481	85	0	277	0
1991-2000	0	700,000	102,258	0	0	0	0

Streams

The history of stocking in streams in the area has been much less extensive and varied than that in lakes. Few coldwater streams suitable for supporting trout occur due to the nature of the terrain and soils. Also, lakes dominate the fishery, therefore there has been less management attention directed to streams. Our understanding of the history of stream stocking is not as good as it is for lakes. Many streams lack official names and stocking locations were recorded by local names or a range of lots and concessions. In some cases, we can only make a guess at which stream was stocked.

The vast majority of stream stocking events were of Brook Trout. The first stream to be stocked in the area was the Distress River; it received 5,000 fry in 1922 and was stocked regularly through the 1920s and 1930s. Nelsons Creek was the only other stream to be stocked with Brook Trout during that period. Like lakes, the number of streams stocked and number of fish stocked in them increased in the 1940s. At the peak, over 20 streams and 20,000 fish were stocked annually. Also, like lakes, stocking decreased greatly toward the end of the 1960s as a more information-based approach to stocking began. Prior to that time a lot of stream stocking was done on request with little regard for the suitability of the waters for supporting the species or for impact on any existing populations. A factor not applicable to most lake stocking was that a lot of streams cross private land and public access to them was limited. A low level of

stream stocking of Brook Trout continued through the 1970s and early 1980s and was discontinued after that time.

There was very limited stocking of other species in streams in the area. Rainbow Trout were stocked into the Boyne River for several years in the 1960s and the Seguin River in the Town of Parry Sound in the late 1990s and continuing past the year 2000. The latter was intended to create urban fishing opportunities but did not yield much interest or returns.

Kokanee Salmon, an inland form of Sockeye Salmon, were stocked into the Go Home River in 1964 and 1965. That was the era in which other Pacific Salmons were stocked into the Great Lakes and their tributaries. Chinook, Coho and Pink Salmon have become naturalized in the Great Lakes but the Kokanee have not.

Muskellunge were stocked into the Pickerel River, where they are native, from 1954 to 1974, the same period they were stocked into several lakes, with stocking being discontinued for the same reasons. They were also stocked into the Musquash River, below Ragged Rapids in 1950. It isn't known if they were native, but a small population is still believed to inhabit the lower Musquash River.

Smallmouth Bass were stocked into a small number of the larger rivers in the area, including the Pickerel, Seguin and Manitouwabing, all of which have lake-like reaches or are connected to lakes. The stocking occurred from 1938 to 1964. Similarly, Largemouth Bass were stocked in the Seguin River and Love Lake Creek, which connect to Mill Lake and Whitestone Lake, respectively, which were probably the intended destinations of the stocked fish.

Finally, Walleye were stocked in several rivers; the Pickerel, Seguin and Shawanaga, the later two, being spawning locations for populations that reside in Georgian Bay. As with lake stocking, eggs and fry were the dominant life stages stocked with some impressive numbers being reported; the Shawanaga River receive 24 million in 1949. Despite the numbers, the same factors that influenced lake stocking came to bear on streams as well and no stocking was done directly by MNRF after 1956.




Figure 12 Number of streams and number of fish stocked, by year, Brook Trout, Parry Sound area, 1913-2000.

Summary

In retrospect, the 1900s were the pioneering age of fish stocking in the Parry Sound area. Widespread, often indiscriminate, stocking introduced hundreds of new populations to waters where they were not native; creating and diversifying fishing opportunities, but also greatly impacting native populations in some cases. An orgy of supplemental stocking undertaken in the belief that more is always better reached its zenith mid-century and was gradually largely abandoned as science and experience came to bear. By the end of the century, MNRF stocking was largely focused on put-grow-take stocking, though the program continues to evolve. We understand today that fish stocking is a tool in fisheries management that can be effective when applied correctly but is not a panacea. Unfortunately, public pressure to stock fish 'on demand' remains strong; fueled by lack of understanding and long-held beliefs, often engendered by past stocking practices. A symptom of that is the current trend of widespread illegal introduction of species into waters in which they are not native. A challenge going forward will be to continue to make progress in basing our stocking on science and knowledge and connecting with anglers who are the primary consumers of the resource.

References

Kerr, S. J. 2006. An historical review of fish culture, stocking and fish transfers in Ontario, 1865-2004. Fish and Wildlife Branch. Ontario Ministry of Natural Resources. Peterborough, Ontario. 154 p. + appendices.

OMNR. 2002, Guidelines for stocking fish in inland waters of Ontario. Fish and Wildlife Branch. Ontario Ministry of Natural Resources. Peterborough, Ontario. 43 p. + appendices.

Appendix 1 Summary of fish stocking in lakes in the Parry Sound area, 1913-2000. Table provides range of years that a species was stocked. The number of times a species was stocked is in brackets. Absence of a final stocking year after a hyphen (eg.1939-) indicates that stocking occurred after the year 2000. “N.L.” refers to lake names that are not listed as official names.

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
Ahmic L.	Croft	17-6025-50535	-	1924-1930 (7)	1959-1964 (6)	1933-1960 (21)	-	1921- (45)	Bass (1922-1943 (12))
Ainslie L.	McKenzie	17-5779-50591	-	-	-	1950-1958 (2)	1957	-	
Armstrong L.	McKellar	17-5846-50402	1967-1968 (4)	-	-	1940-1961 (14)	-	-	
Axe L.	McMurrich, Monteith	17-6169-50270	1954-1959 (6)	-	1954-1959 (6)	1944-1945 (2)	1978	-	
Back L.	Foley	17-5849-50166	-	-	-	1961	-	-	
Bat L.	Ferguson	17-5777-50436	-	-	-	1958	-	-	
Bear L.	Monteith	17-6106-50327	-	-	-	1943-1973 (11)	1970-1987 (2)	1949	
Beaver L.	Croft	17-5990-50532	-	-	-	1941-1961 (10)	-	1939-1955 (8)	
Beckett L.	Croft, Hagerman	17-5936-50482	-	-	-	1951	-	-	
Bell L.	Hagerman		-	-	-	1942	-	-	
Bell L.	McDougall	17-5768-50298	-	-	1999	1945-1961 (9)	-	1946	
Bird L.	Harrison	17-5481-50496	-	-	-	1952-1962 (2)	-	-	
Blackstone L.	Conger	17-5878-50090	-	1956- (26)	-	1939-1954 (13)	-	1939- (23)	Muskellunge (1953-1962 (8))
Blackwater L.	Christie	17-5924-50308	-	-	-	1940-1965 (17)	1988	1946	
Blue L.	Foley	17-5788-50141	1957-1968 (7)	1963-1965 (2)	-	1940-1947 (2)	-	-	Splake (1984- (8))
Bolger L.	Burton	17-5658-50574	-	-	-	1952	-	-	
Boot L.	Gibson	17-5954-49799	-	-	-	1950	-	1950	
Boundary Lake (N.L)	Conger		1962-1963 (2)	1958-1959 (2)	1973	-	-	1953-1954 (4)	
Boy L.	McDougall	17-5786-50311	-	-	1975- (7)	1951-1955 (3)	-	-	Splake (1994- (4))
Buck L.	McMurrich	17-6254-50307	1939-1940 (2)	1953-1971 (12)	1963-1965 (3)	1947-1969 (16)	-	1998- (4)	
Buckhorn L.	Freeman	17-5905-49945	-	-	-	1958	-	-	
Cadge Road L.	Hagerman	17-5834-50519	1974-1991 (12)	-	-	-	-	-	
Campbell L.	McDougall		-	-	-	1953-1957 (3)	-	-	
Canoe L.	Cowper	17-5745-50146	-	1949	-	-	-	-	
Carmen L.	Chapman	17-6121-50585	1953-1967 (7)	-	-	-	-	-	
Carruthers L.	Christie	17-5886-50241	-	-	-	-	1982	-	
Cawthra L. (N.L)	Ryerson		1944-1950 (2)	-	-	-	-	-	
Cecebe, L.	Chapman, Ryerson	17-6111-50550	-	-	1950-1964 (14)	1934-1958 (14)	-	1922-1956 (22)	Bass (1922-1949 (11))
Cheer L.	Chapman	17-6153-50708	1941-1961 (9)	-	-	1962	-	-	
Christie L. 42	Christie	17-5903-50190	1982- (7)	-	-	-	-	-	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
Clarke L. (N.L.)	Ryerson		1945-1963 (9)	-	-	-	-	-	
Clear L.	Burton	17-5687-50540	-	-	-	1945-1969 (4)	1988	-	
Clear L.	Conger, Foley	17-5824-50092	-	-	-	1952-1953 (2)	-	-	
Clear L.	Hagerman	17-5836-50566	1956-1977 (9)	-	1981	-	-	-	
Clear L.	Mowat	17-5328-50862	-	-	-	1961-1962 (2)	-	-	
Cole L.	Blair	17-5516-50834	-	-	-	-	-	1947-1948 (2)	
Cole L.	Carling	17-5653-50295	-	-	-	1940-1953 (5)	-	-	
Compass L.	McMurrich	17-6263-50377	1932-1950 (4)	-	-	1954-1958 (3)	-	1924-1925 (2)	
Cookery L.	Burton	17-5700-50664	-	-	-	1950	-	-	
Cooper L.	Hagerman		-	-	-	1941-1949 (7)	-	1939	
Corfe L.	McDougall	17-5782-50295	1980- (10)	-	-	1951-1954 (2)	-	-	
Cranberry L.	Harrison	17-5430-50526	-	-	-	-	1979	1940	
Crane L.	Conger	17-5830-50066	-	1972- (11)	-	1939-1958 (6)	-	1939-1994 (10)	Muskellunge (1954-1964 (6))
Crawford L.	Croft	17-5980-50504	-	-	-	1954-1963 (5)	1982	1953-1955 (2)	
Crawford L. (N.L.)	McKellar		-	-	-	1943-1944 (2)	-	-	
Crooked L. (N.L.)	Baxter		-	-	-	1939-1943 (4)	1941-1957 (6)	1939-1944 (4)	Muskellunge (1958-1959 (2)) Bass (1940)
Cross L.	Blair	17-5556-50793	-	-	-	1942	-	-	
Crozier L. (N.L.)	Ryerson		1942-1965 (14)	-	-	-	-	-	
Darlingtons L.	McDougall	17-5757-50240	-	1956- (27)	-	1947-1949 (2)	-	-	
De Bois L.	McKenzie		-	-	-	1951	-	-	
De Volve L.	East Burpee	17-5767-50458	-	-	-	1940	-	-	
Deer L.	Wilson		-	-	-	1940	-	-	
Diamond L.	Christie	17-5961-50271	-	-	-	1946-1964 (8)	-	-	
Dinner L.	Carling	17-5665-50331	-	-	-	-	1978	-	
Doe L.	McMurrich, Ryerson	17-6239-50430	-	1951-1963 (12)	-	1940-1971 (19)	-	1939-1955 (19)	
Dogfish L.	East Burpee	17-5675-50509	-	-	-	1959	-	-	
Doley L.	Conger	17-5914-50093	-	-	-	-	1975	-	
Dollars L.	Blair	17-5612-50884	-	-	-	1940-1975 (8)	1951-1953 (4)	1939-1990 (25)	
Duck L.	Christie	17-5937-50257	-	1949- (19)	-	1946-1964 (9)	-	-	
Dutcher L.	McKellar	17-5977-50335	-	-	1998	1959-1961 (2)	-	-	
Dutton L.	Brown	17-5687-50701	-	-	1998	-	-	-	
Erne, Lo.	Ferguson	17-5788-50395	-	-	-	1942-1973 (4)	-	-	
Fairholme L.	Hagerman	17-5856-50474	-	1949- (26)	-	-	-	-	Splake (1985)
Faris L.	Foley	17-5863-50218	1963-1965 (2)	-	-	-	-	-	
First L.	Foley	17-5886-50148	-	-	-	1946-1956 (4)	1966	-	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
Fish L. (N.L.)			-	-	-	-	-	-	Bass (1914)
Flatrock L.	Gibson		-	-	-	-	-	1950	
Flaxman L.	Christie	17-5920-50206	-	1968-1999 (15)	-	-	-	-	
Fogal L.	Conger	17-5880-50037	-	-	-	1961	-	-	
Foley L. 40	Foley		1980-1983 (3)	-	-	-	-	-	
Foley L. 43	Foley	17-5798-50117	1984- (7)	-	-	-	-	-	
Forbes L.	McDougall	17-5848-50240	-	-	-	1958	-	-	
Forget L.	Foley	17-5859-50115	-	1978- (17)	-	-	-	-	
Fox L.	Wilson	17-5699-50776	-	-	-	1947	-	-	
Fume L.	Christie	17-6004-50280	-	-	-	-	1981	-	
Funston L.	McDougall	17-5782-50296	1981-1983 (2)	-	-	-	-	-	
Galla L.	Freeman	17-5896-49902	-	-	2000	-	1979	-	
Gibson L.	Gibson	17-5986-49796	-	-	-	1950-1968 (5)	-	1944-1956 (4)	
Giroux L.	Wallbridge	17-5384-50622	-	-	-	1940-1974 (12)	-	-	
Glendening L.	Christie	17-5941-50186	-	-	1973	-	-	-	
Go Home L.	Gibson	17-5910-49842	-	1966-1976 (4)	-	1948-1966 (3)	-	-	
Good L.	Monteith	17-6043-50334	1958	-	-	1948-1952 (2)	-	-	
Goose L.	Ryerson	17-6157-50523	-	-	-	1942-1953 (7)	-	1941-1954 (9)	
Gooseneck L.	Burton	17-5738-50566	-	-	-	1939	-	1958	
Gordon L.	McKenzie	17-5845-50609	-	-	-	-	1988	-	
Greer L.	McDougall	17-5782-50297	-	-	1981	1951-1955 (4)	-	-	
Grey Owl L.	McKellar	17-5827-50414	-	-	-	1945-1961 (9)	-	1939	
Grundy L.	Mowat	17-5342-50865	1961	-	-	1958	-	-	
Gull L.	East Burpee	17-5702-50516	-	-	-	1959-1961 (2)	-	-	
Gurd Lake	Mowat	17-5352-50862	-	-	-	1958	-	-	
Gut L.	Mowat	17-5346-50852	-	-	-	1958	-	-	
Haggart L.	Freeman	17-5985-49955	-	-	-	1956	-	-	
Haines L.	Foley	17-5824-50221	-	-	1999- (2)	1940-1961 (15)	-	1940-1959 (9)	
Harris L.	Ferguson	17-5791-50362	-	-	-	1953-1974 (6)	1957	-	
Harris L.	Wallbridge	17-5481-50605	-	-	-	1945-1971 (10)	-	1947-1953 (3)	
Hatch L.	Blair	17-5581-50867	1956-1960 (4)	-	-	-	-	-	
Healey L.	Conger	17-5851-50016	-	-	-	-	-	1956-1959 (6)	
Heaslip L.	Foley	17-5867-50238	1962-1970 (4)	-	1966	-	-	-	
Henry L.	Chapman	17-6149-50580	1944-1965 (13)	-	-	-	-	-	
Hines L.	Conger	17-5916-50075	1953	-	-	-	-	-	
Horn L.	Chapman	17-6179-50580	1945-1975 (15)	1949-2000 (16)	1966-1969 (2)	-	-	-	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
Horn L.	Monteith	17-6088-50276	-	-	-	1951-1963 (5)	1976-1981 (5)	-	
Horseshoe L.	Foley	17-5903-50174	-	1949-1975 (10)	1957-2000 (9)	1913-1956 (16)	-	-	Splake (1988- (2))
Howard, L.	Chapman	17-6140-50604	1952-1966 (6)	-	-	-	-	-	
Hughes L.	Chapman	17-6111-50615	1945-1957 (9)	1950-1955 (3)	-	1959-1963 (3)	-	-	
Hunters L.	McMurrich	17-6199-50352	1948-1974 (17)	-	-	-	-	-	
Imrie L.	Carling	17-5482-50329	-	-	-	-	1978	-	
Isabella L.	Christie	17-5930-50285	-	-	2000	1939-1957 (7)	-	1939-1995 (17)	
Island L.	Wilson	17-5728-50719	-	-	-	1947-1949 (3)	-	1974	
Johnston L.	McDougall	17-5794-50323	-	-	-	1951-1954 (4)	-	-	
Kapikog L.	Conger	17-5872-50004	-	-	2000- (1)	-	-	-	
Kashegaba L.	Burton	17-5679-50614	-	-	-	1952	-	1948-1950 (2)	
Keiller L.	Spence	17-6097-50441	-	-	1976	1940	-	-	
Kuwi L. (N.L.)	McKellar		-	-	-	1957	-	-	
La Brash L.	McKenzie	17-5860-50636	-	-	-	-	-	1951	
Lac La Vallée	East Burpee	17-5704-50508	-	-	-	1959	-	-	
Lady L.	Shawanaga	17-5576-50453	1959-1963 (2)	-	-	-	-	-	
Lafarce L.	Gibson	17-5986-49816	-	-	-	-	-	1950	
Lake of the Woods (N.L.)	Ferguson		-	-	-	1940-1944 (3)	-	-	
Lane L.	Foley	17-5836-50222	-	-	-	1952-1961 (5)	-	-	
Liebeck L.	Christie	17-5907-50208	-	-	1973-1983 (5)	-	-	-	Splake (1992- (4))
Limestone L.	Hagerman	17-5836-50441	-	-	-	1939-1964 (17)	-	-	
Little Bear L. (N.L.)	Freeman		-	-	-	1960	-	-	
Little Bolger L. (N.L.)	Hagerman		-	-	-	1966	-	-	
Little L. (N.L.)	McConkey		1971	-	1971	1948	-	-	
Little Manitouwaba L.	Christie	17-5996-50289	1958	1958-1965 (4)	-	1969	1981	-	
Lone L.	Baxter	17-6044-49761	-	-	-	1949	-	-	
Long L. (N.L.)	McKellar		-	-	-	1941-1942 (2)	-	-	
Loon L.	Burton	17-5688-50554	-	-	-	1939	-	-	
Loon L. (N.L.)	Spence		-	-	-	1946-1963 (3)	-	-	
Lorimer L.	Ferguson, Hagerman	17-5806-50435	-	1942- (27)	-	1942-1953 (8)	-	-	
Lower Fry L.	Monteith	17-6039-50290	-	-	-	1947-1953 (5)	-	-	
Lower Ten Mile L. (N.L.)	Monteith		-	-	-	1948	-	-	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
MacBess L. (N.L.)	Gibson, Baxter		-	-	-	1948	-	-	
Manitouwaba L.	Monteith	17-6017-50286	-	1947-1966 (7)	-	1956-1958 (3)	1978	-	
Manitouwabing L.	McKellar	17-5857-50363	-	-	-	1939-1966 (23)	-	1938- (18)	
Manley L. (N.L.)	Baxter		1969	-	-	-	-	-	
Manson L.	Hagerman, McKellar	17-5888-50454	-	-	2000	1939-1960 (18)	-	1939	
Maple L.	Christie	17-5941-50243	-	1949- (14)	2000- (1)	1940-1955 (11)	-	-	
Mary Jane L.	McKellar	17-5898-50401	-	-	-	1939-1963 (18)	-	-	
McCoy L.	Foley	17-5765-50143	-	1949-1993 (10)	-	-	-	-	
McDougall L. 3	McDougall		-	-	1980-1984 (2)	-	-	-	Splake (1993)
McEwen L.	McKellar	17-5845-50416	-	-	-	-	-	1939-1955 (14)	
McGowan	Foley	17-5784-50203	-	-	-	1942-1953 (6)	-	-	
McKechnie L.	Conger	17-5929-50094	-	-	-	1957-1961 (2)	1975	-	
McKellar L.	McKellar	17-5833-50403	-	-	2000	1942-1961 (13)	-	1939-1955 (11)	
McLean L.	Christie	17-5888-50241	-	-	1961	-	1982	-	
McMaster L.	Gibson	17-5984-49909	-	-	-	1961-1973 (2)	-	-	
McQuillan L.	Conger	17-5870-50048	-	-	-	-	-	-	
Meadow L.	Monteith	17-6109-50246	-	-	-	1953-1976 (8)	1976	-	
Middle Shanty B. L.	McKenzie	17-5752-50668	-	-	1967	-	-	-	
Mill L.	McDougall	17-5784-50242	-	1954-1975 (13)	1970	1940-1956 (10)	-	1940-1954 (12)	Splake (1983- (3)
Miner L.	Wallbridge	17-5480-50644	-	-	-	1940-1954 (11)	-	1941-1952 (9)	
Miskokway L.	Burton	17-5602-50551	-	1975	-	-	-	-	
Moffat L.	McKellar	17-5874-50426	-	-	2000	1940-1963 (10)	-	1939-1940 (2)	
Mohan L.	Christie	17-5900-50213	-	-	1978-1983 (3)	-	-	-	Splake (2000- (1))
Moose L.	Harrison	17-5484-50518	-	-	-	1944-1960 (12)	-	-	
Moose L.	Wallbridge	17-5492-50737	-	-	-	1954-1962 (3)	-	-	
Mosquito L. (N.L.)	Freeman		-	-	-	-	1981	-	
Mowat L.	Mowat	17-5461-50794	-	-	-	-	1978	-	
Mutton L.	Christie	17-5964-50215	-	-	-	1949-1956 (5)	-	-	
Myers L.	Freeman	17-5984-49945	-	-	-	1945-1959 (5)	-	-	
Naiscoot L.	Harrison	17-5504-50546	-	-	1999	1940-1974 (11)	-	1939-1953 (9)	Muskellunge (1953-1973 (7))
Nelson L.	Spence	17-5949-50464	-	-	-	1951	-	-	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
Nine Mile L.	McDougall	17-5742-50352	-	-	-	1946-1950 (2)	1981	1946-1963 (3)	
Nine O'Clock L. (N.L.)	Cowper		-	-	-	1958-1961 (2)	-	-	
Nogonosh L.	Brown	17-5568-50742	-	-	-	1952-1960 (3)	1951	1954	
Oak L.	Conger	17-5889-50111	-	-	-	1947	-	-	
Oastler L.	Foley	17-5813-50183	-	-	1987- (7)	1941-1975 (18)	1966	1928-1956 (21)	
Ogden L.	Croft	17-6025-50632	-	-	-	-	1996	-	
Old Mans L.	Spence	17-6058-50512	-	-	-	1950	-	-	
Oliver L.	McKellar	17-5941-50407	-	-	-	1959-1961 (2)	-	-	
Orange L.	Hagerman	17-5856-50503	-	-	-	1940-1961 (6)	-	-	
Otter L.	Foley	17-5810-50147	-	1949-1998 (20)	1989- (2)	1941-1950 (7)	-	1939	
Otter L.	Hagerman	17-5834-50522	1978-1995 (9)	-	-	-	-	-	
Otter L. (N.L.)	Spence		-	-	-	1946-1950 (3)	-	1946	
Oxbow L.	Burton	17-5624-50534	-	-	1979	-	-	-	
Pearceley L.	Chapman	17-6165-50616	1956-1983 (12)	-	1971	-	-	-	Splake (1989- (6))
Pender L.	Foley	17-5886-50193	-	-	-	1960	-	-	
Plate L.	Foley	17-5848-50218	1964-1969 (2)	-	1957-1962 (5)	1939-1947 (4)	1982	-	
Ponsford L.	Christie	17-6026-50233	-	-	-	1948-1961 (5)	-	-	
Porcupine L.	Burton	17-5713-50646	-	-	-	1950	-	-	
Portage L.	McDougall	17-5748-50281	-	-	-	1939-1963 (12)	-	1939-1955 (8)	
Prospect L.	Ryerson	17-6127-50698	1956-1976 (12)	-	1979-1981 (2)	-	-	-	
Quinn L.	Hagerman	17-5897-50500	-	-	-	1944-1951 (5)	-	-	
Rainy L.	Ryerson	17-6174-50427	1939-1954 (6)	-	1969-1999 (5)	1939-1965 (12)	1987	-	
Rainy L.	Shawanaga	17-5587-50387	-	-	-	1956-1972 (7)	1957-1975 (2)	-	
Rankin L.	Foley	17-5855-50156	-	1940-1966 (14)	1999- (2)	1938-1964 (12)	-	-	Bass (1937-1945 (5)) Splake (1983- (3))
Richmond L.	Foley	17-5784-50202	-	-	-	1946-1965 (4)	-	-	
Roberts L.	Conger	17-5924-50105	-	-	-	1964	1966-1976 (3)	-	
Robinson L. (N.L.)	McKellar		-	-	-	1942-1953 (4)	-	-	
Rock Island L.	Shawanaga	17-5579-50446	-	-	-	1950-1964 (9)	-	1949-1953 (3)	
Round L.	Ferguson	17-5680-50401	-	-	1961-1962 (2)	-	-	-	Muskellunge (1963-1967 (5))
Round L.	McMurrich	17-6247-50356	1945	1947-1957 (8)	1966-2000 (2)	1953-1954 (2)	-	-	
Round L.	Baxter		1966	-	-	-	-	-	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
(N.L.)									
Ryan L.	McKellar	17-5859-50426	-	-	-	1959-1974 (5)	-	1940-1954 (10)	
Ryder L.	McDougall	17-5809-50240	-	-	1970	-	-	-	
Salmon L.	Foley	17-5811-50115	-	1949-1963 (6)	-	-	-	-	
Santa L.	Christie	17-5900-50278	-	-	-	-	1982	-	
Schmeiler L.	Chapman	17-6061-50655	1952-1968 (9)	-	-	-	-	-	
Scott L.	Foley	17-5985-50128	-	-	-	1947-1957 (5)	-	-	
Second L.	Foley	17-5886-50131	-	-	-	1946-1966 (2)	-	-	
Secret L.	Burton	17-5688-50573	1956-1981 (9)	-	-	-	-	-	
Seguin L.	Spence	17-6030-50430	-	-	-	1946-1947 (2)	-	-	
Seguin L. N.L.)	Wilson		-	-	-	-	-	1947	
Shanty L.	Hagerman	17-5923-50482	-	-	-	1950-1960 (5)	-	-	
Shanty L.	McKellar	17-5939-50334	-	-	-	-	1982	-	
Shawanaga L.	Hagerman	17-5791-50459	-	1954	-	1939-1951 (12)	-	1939-1959 (20)	Northern Pike (1979)
Shebeshekong L.	Carling	17-5636-50323	-	-	-	1940-1963 (15)	-	1939-1988 (12)	Muskellunge (1950-1964 (10))
Silver Sand L.	Freeman	17-5984-49926	1975-1980 (4)	-	2000- (1)	1961	-	-	
Simolea L.	McKellar	17-5859-50427	-	-	-	1945-1963 (8)	-	1939-1955 (12)	
Simpson L.	Hagerman		-	-	-	1950	-	1939	
Six Mile L.	Baxter	17-6000-49730	1941	1952-1969 (16)	1965	1935-1967 (23)	1938-1957 (10)	1935-1956 (20)	Lake Whitefish (1953) Muskellunge (1954-1961 (8))
Six Mile L. Pothole	Baxter	17-5978-49720	1950-1975 (6)	-	-	-	-	-	
Smith L.	Blair	17-5594-50867	-	-	1980	-	-	-	
Smoky L.	Brown	17-5585-50777	-	1960-1961 (2)	-	1948-1960 (5)	1951-1953 (2)	1953-1955 (2)	
Snake L.	Hagerman	17-5823-50487	-	-	-	1942-1946 (5)	-	-	
Snakeskin L.	Hagerman	17-5773-50536	-	-	-	1954-1969 (6)	-	1940	
Spence L.	Spence	17-6066-50433	-	-	-	1950	-	-	
Spider L.	Cowper	17-5733-50114	-	1949-1988 (18)	-	1950-1969 (4)	-	1950-1953 (4)	
Spikehorn L.	McKenzie	17-5713-50665	-	-	-	1950	-	-	
Spring L. (N.L.)	Chapman		1949	-	-	-	-	-	
Star L.	Christie	17-5975-50201	-	1949- (20)	1980-1984 (4)	1947-1963 (7)	-	-	
Stewart L.	Freeman	17-5971-49992	-	1961-1966 (3)	1999-2000 (2)	1945-1961 (10)	-	-	Splake (2000- (1))
Stonehouse L.	Conger		-	-	-	1951-1961 (3)	-	1952-1953 (3)	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
Storm L.	Christie	17-5982-50271	-	-	-	-	1976	-	
Strathdee L.	McDougall	17-5777-50318	-	-	-	1974-1975 (2)	-	-	
Stuart L.	Baxter		1957	-	-	-	-	-	
Sucker L. (N.L.)	Christie		-	-	-	1947	-	-	
Sugar L.	Christie	17-5971-50251	-	1953-1966 (11)	2000- (1)	1950	-	-	
Tabor L.	McMurrich	17-6164-50320	1947-1965 (13)	-	1973-1974 (2)	-	1982	-	
Tatai L.	Foley	17-5862-50204	-	-	-	-	1982	-	
Taylor L.	McKenzie	17-5804-50586	-	-	-	1947-1961 (8)	-	1947-1948 (2)	
Ten Mile L.	Monteith	17-6055-50248	-	-	-	1940-1958 (5)	-	-	
Third L.	Foley	17-5878-50123	-	1953-1956 (3)	-	1954-1966 (5)	-	1939	
Three Legged L.	Foley	17-5769-50127	-	1925-1988 (28)	1999- (2)	1947-1965 (6)	-	-	
Three Mile L.	Wausauksing F.N.		-	-	-	-	-	1950-1951 (2)	
Tongue L.	McDougall	17-5808-50351	-	-	-	1948-1954 (2)	-	-	
Toronto L.	Freeman	17-5976-49955	-	-	-	1949-1956 (2)	-	-	
Trout L.	East Burpee	17-5651-50482	-	1970-1974 (4)	-	-	-	-	
Trout L.	McDougall	17-5801-50304	1923	1922- (35)	1922-2000 (3)	1934-1946 (7)	-	1928-1932 (2)	Bass (1922)
Tub L.	Christie	17-5983-50280	-	-	-	1962	-	-	
Unnamed Lake	Blair		1957-1971 (3)	-	-	-	-	-	
Unnamed Lake	Carling		-	-	-	-	1970	-	
Wahwashkesh L.	McKenzie	17-5747-50629	-	1949-1975 (11)	1957-1964 (7)	1935-1955 (13)	-	1927-1950 (12)	Bass (1937-1942 (4))
Wauby L.	Croft	17-5973-50631	1955-1966 (7)	-	-	-	-	-	
Webster L. (N.L.)	Gibson		-	-	-	-	-	1939	
Weeden L.	Christie	17-5927-50204	1978- (11)	-	-	-	-	-	
Whalley L.	Croft, Chapman	17-6038-50606	1945	-	-	1945-1958 (6)	1979	-	
Whitestone L.	Hagerman	17-5881-50553	-	1970	-	1939-1954 (10)	-	1938-1997 (17)	
Wilcox L.	Conger	17-5785-50054	-	-	-	-	1981	-	
Wilds L.	McMurrich	17-6199-50361	1974-2011 (22)	-	-	-	-	-	
Wilson L.	Hagerman	17-5897-50519	-	-	-	1940-1950 (8)	-	-	
Wilson L.	Harrison	17-5584-50519	-	-	1999	1953-1961 (2)	-	1953	
Wilson L.	Monteith	17-6053-50314	-	-	-	-	1979	-	
Windy L.	Brown	17-5634-50793	-	-	-	1952	-	-	
Wiwassasegen	Shawanaga	17-5616-50413	-	-	-	1959	1978	-	

Lake	Township	WBY_LID	Brook Trout	Lake Trout	Rainbow Trout	Smallmouth Bass	Largemouth Bass	Walleye	Other
L. Wolf L.	Ferguson	17-5717-50405	-	1965-1984 (3)	-	-	-	-	
Wright L.	Foley	17-5836-50155	1961-1968 (5)	1975	-	-	-	-	Splake (1993-2000 (4))

Appendix 2 Summary of fish stocking in streams in the Parry Sound area, 1913-2000. Table provides range of years that a species was stocked. The number of times a species was stocked is in brackets. Absence of a final stocking year after a hyphen (eg. 1939-) indicates that stocking occurred after the year 2000. “N.L.” refers to waterbody names that are not listed as official names.

Stream	Township	Brook Trout	Other
Anslie Creek (NL)	McKenzie	1954-1964 (6)	
Badger Creek (NL)	Foley	1959-1959 (1)	
Bakers Creek (NL)	Chapman	1944-1968 (14)	
Bartons Creek (NL)	Chapman	1945-1966 (14)	
Beggsborro River (NL)	McMurrich	1945-1985 (26)	
Bilsland Creek (Ahmic Ck.)	Spence	1952-1985 (14)	
Black Creek (NL)	Chapman	1948-1959 (2)	
Boundary Lake Creek (NL)	Christie	1949-1953 (4)	
Boyne River	Foley	1943-1943 (1)	Rainbow Trout 1961-1965 (4)
Buck Lake Creek (Buck R.)	McMurrich	1954-1985 (17)	
Cecebe Creek (NL)	Chapman	1947-1947 (1)	
Cottingham's Creek (NL)	Ryerson	1941-1941 (1)	
Croziers Creek (NL)	Ryerson	1945-1945 (1)	
Deacon Creek (NL)	McDougall	1952-1952 (1)	
Depot Creek (NL)	Ryerson	1945-1985 (24)	
Diamond Creek (NL)	Christie	1949-1966 (10)	
Distress River	Chapman and Machar	1922-1985 (41)	Smallmouth Bass 1938
Edgecumbe's Creek (NL)	Chapman	1945-1985 (21)	
Farrel's Creek (NL)	McMurrich	1946-1967 (11)	
Fowlers Creek (NL)	Ryerson	1953-1966 (9)	
Go Home River	Gibson		Kokanee Salmon 1964-1965 (2)
Grant's Creek (NL)	Foley	1961-1961 (1)	
Green's Creek (NL)	Hagerman	1951-1965 (13)	
Harts Creek (NL)	Christie	1949-1949 (1)	
Henry Lake Creek (NL)	Chapman	1954-1966 (7)	
Horn Lake Creek (Sollman Ck.)	Chapman and Strong	1951-1966 (12)	Lake Trout 1955
Hurd's Creek (NL)	McDougall	1956-1964 (6)	
Jenkins Creek	Chapman	1946-1949 (5)	
Jordan Creek	Hagerman	1949-1985 (21)	
Lebert's Creek (NL)	McDougall	1956-1976 (3)	
Love Lake Creek (Butler Ck.)	Croft	1958-1964 (4)	Largemouth Bass 1982 Smallmouth Bass 1958
Manson Lake Creek (NL)	Hagerman	1954-1954 (1)	
Marshall Creek (NL)	McMurrich	1942-1966 (12)	
Martin Lake Creek (NL)	Christie	1956-1956 (1)	
McCallums Creek (NL)	Croft	1953-1953 (1)	
McCullock Creek (NL)	Chapman	1941-1985 (24)	
McGowan's Creek (NL)	Foley	1956-1956 (1)	
Middle River (NL)	McKellar		Smallmouth Bass 1941-1944 (3)
Millers Creek (NL)	Chapman	1947-1949 (3)	

Stream	Township	Brook Trout	Other
Muskoka River (Musquash R.)	Gibson		Muskellunge 1950
Neighick River (NL)	Spence	1957-1968 (7)	
Nelson's Creek (NL)	Hagerman	1926-1926 (1)	
Patterson's Creek (NL)	Hagerman	1951-1962 (8)	
Pickerel River			Muskellunge 1954-1974 (11) Smallmouth Bass 1942-1964 (13) Walleye 1939-1954 (18)
Rightmeyer's Creek (NL)	McDougall	1955-1964 (4)	
Rosskopf Creek (NL)	Chapman	1945-1965 (14)	
Round Lake Creek (NL)	McMurrich	1945-1953 (3)	Smallmouth Bass 1955
Rousell's Creek (NL)	Ryerson	1942-1985 (23)	
Seguin River - Christie Twp.	Christie	1941-1968 (16)	
Seguin River - McDougall Twp.	McDougall		Largemouth Bass 1951 Walleye 1950-1956 (7)
Seguin River - McKellar Twp. (Manitouwabing R.)	McKellar and Spence	1956-1956 (1)	Smallmouth Bass 1939-1956 (11) Walleye 1941-1956 (12)
Seguin River - Monteith Twp.	Monteith	1947-1975 (13)	
Seguin River - Town of Parry Sound			Rainbow Trout 1999- (2)
Shawanaga River			Walleye 1949
Staley's Creek	Hagerman	1951-1984 (16)	
Sugar Lake Creek (NL)	Christie	1956-1968 (6)	
Ten Mile Creek (NL)	Monteith	1964-1964 (1)	
Trout Brook Stream (NL)	McMurrich	1950-1950 (1)	
Unnamed Spring Creek 1 (NL)	Burpee	1953-1965 (5)	
Unnamed Spring Creek 2 (NL)	Burpee	1953-1965 (6)	